


1. Identification of the substance or mixture and of the supplier:					
Product name:	OleoCote L300-70W				
Product identifier/synonyms:	Alkyd resin, synthetic polymer, solvent- based CAS# preparation EC# not assigned				
Product description:	Alkyd resin dispersed in solvent medium				
Intended use:	Industrial and decorative coatings				
Manufacturer:	Industrial Oleochemical Products, (Pty) Ltd., 323 Chamberlain Road, Jacobs, 4052, KZN, South Africa Tel: +27-(0)31-4618680, Fax:: +27-(0)31-461-3743				
Emergency telephone number:	031-461-8721 (Monday-Friday 08.00 to 16.30hr) 031-461-8680 (after normal working hours) 082-852-5383 (medical emergencies)				





2. Hazard identification:

This substance is **classified as hazardous** according to South African National Standard SANS 10234:2007, Globally Harmonized System of classification and labelling of chemicals (GHS).

This substance is classified as **irritating** and **harmful to the environment** in the Annex I of Directive 67/548/EEC according to ESIS (European Chemical Substances Information System).

Hazard category	Criteria	Hazard communication elements		
Class 3	Flash point >23°C <60°C	3	Warning	Flammable liquid

3. Composition/info	mation on i	ingredients:			
Substance/preparation:		Substance			
Ingredient name:	CAS no.	EC no.			
xylene	1330-20-7	601-022-9	0-5	OEL 100ppm	TWA (US) 45 mg/m ³
Low aromatic white spirits	64742-82-1	265-185-4	>50	100ppm	350 mg/m ³
Alkyd resin	Not assigned	Not assigned	40-70	Not assigned	

4. First aid measures:	
Inhalation: hot vapours	Remove patient from exposure into fresh air. Keep person warm and at rest. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if symptoms occur. If unconscious, place in a recovery position and get medical attention immediately.
Ingestion:	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Wash out mouth with water. Remove dentures, if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel, due to risk of aspiration.
Skin contact:	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes before reuse.
Eye contact:	Remove contact lenses, if any. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Obtain medical attention if irritation persists.



5. Fire fighting measu	res:
Extinguishing media:	Water fog, foam, carbon dioxide, powder
Unsuitable extinguishing	
media:	Do not use water jets
Special fire-fighting	A self-contained breathing apparatus and suitable protective clothing must be
protective equipment:	worn in fire conditions with full face piece operated in positive pressure mode
Fire and explosion hazards:	Containers can burst in fire
Combustion products:	Thermal decomposition may produce fumes of carbon monoxide if burning
Explosion data	Can form explosive air/vapour mixtures
Sensitivity to mechanical	
impact:	Not to be expected
Sensitivity to static	
discharge:	Static discharge is a hazard

6. Accidental release	measures:
Personal precautions:	Keep away from heat and sources of ignition. The material is classified as flammable and is classified as an irritant and harmful to the environment. For small spills, good working practice suggests that safety goggles, and impervious gloves should be worn to protect eyes and skin. Respiratory protection should not be necessary if adequate ventilation is maintained. In the case of insufficient ventilation, use respiratory protection as described in Section 8 below or for large spills. For large spills, a self-contained breathing apparatus and suitable protective clothing must be worn with full face piece operated in positive pressure mode
Environmental precautions:	Avoid dispersal of spilt liquid and run-off and contact with soil, waterways, drains and sewers. Material is harmful to aquatic organisms.
Clean up methods:	For small spills, add absorbent (soil may be used in the absence of any other materials). Scoop up material and place in a sealable, container for disposal. For large spills, evacuate the immediate area and call emergency personnel. Dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Add absorbent (soil may be used in the absence of any other materials). Do not use saw dust as an absorbent. Scoop up material and place in a sealable, container for disposal. Wash the spillage area with water and detergent. The appropriate regulatory body must be alerted to spillages of uncontrolled discharges into watercourses.



7. Handling and store	age:		
Handling:	Ensure the use of personal protective equipment (see Section 8) Handle and open container with care.		
	Keep away from heat and sources of ignition. The material is combustible but not classified as flammable. Wash thoroughly after handling.		
	Do not eat and drink or smoke while handling this material.		
Storage:	Store in original containers and keep containers tightly closed until ready for use. Store in a cool, dry, well-ventilated place. Note that storage under cool conditions may cause an increase in viscosity		
Incompatible materials:	Separate from reactive substances, oxidizing agents		

8. Exposure controls	s/personal p	protection:			
		Occupational	exposure	limit values:	
Chemical name	Type of limit			Short-term exposure	
xylene	OEL	100ppm	-	-	-
Low aromatic white spirits	OEL	100ppm		-	-
Engineering measures:	standards. Us	Maintain air concentrations below occupational exposure standards. Use local area ventilation when concentrations are likely to exceed occupational exposure levels.			
Eye protection:		Good working practice suggest that safety goggles be used			
Skin protection:	Impervious	Good working practice suggest that Impervious PVC gloves. overalls/dust coat, face shield be used			
Respiratory protection:	ventilation is	Respiratory protection is not required if good ventilation is maintained. If concentrations are likely to rise above the occupational exposure limit, use organic vapour cartridge			



9. Physical and chemical properties:			
Appearance:	Clear yellow viscous liquid @ 25°C,		
Odour:	Characteristic, solvent odour		
Odour threshold:	No data		
pH:	Not applicable		
Melting/freezing point:	-47°C to +14°C		
Initial boiling	162°C		
point/range:			
Flash point:	40°C (closed cup)		
Evaporation rate:	0.2 (butyl acetate=1)		
Flammability:	Flammable		
Flammable limits:	Lower: 0.6% Upper: 7%.		
Vapour pressure:	370 Pa (20°C)		
Vapour density:	No data available		
Relative density:	0.95-0.97 (25°C)		
Solubility:	Insoluble in water.		
Partition coefficient	No information available		
n-octanol/water:			
Autoignition temp:	>235°C		
Decomposition temp:	>300°C		
Viscosity:	300 mPa.s (25°C)		

10. Stability and reactivity:				
Stability:	Stable under normal ambient and anticipated storage and handling conditions. No stabilizers are added or deemed necessary. Could generate static-use earthing			
Conditions to avoid:	Excessive heating.			
Hazardous reactions:	None known. No reaction with fire-fighting water			
Materials to avoid:	Strong oxidizing/reducing agents.			
Hazardous decomposition products:	Thermal decomposition will evolve irritant vapours, carbon monoxide and carbon dioxide.			
Hazardous polymerization:	Not likely to occur			



Acute toxicity:					
Hazard category	Criteria Hazard communication elements				
Oral 4	LD ₅₀ oral >500 mg/kg (>300-<2000 mg/kg)	!	Warning	Harmful if swallowed	
P264 P270 P301+P312 P330	Wash thoroughly after ha Do not eat, drink or smok If swallowed, call a poiso Rinse mouth	ce when using this	•	el unwell	
Dermal 2	LD ₅₀ dermal No data	!	Warning	Causes skin irritation	
P264 P280 P302+P352 P332 P362	Wash thoroughly after ha Wear protective gloves/pi If on skin, wash with pler If skin irritation occurs, g Take off contaminated clo	rotective clothing/ nty of water et medical advice/	attention	protection	
Inhalation 4	LC ₅₀ inhalation >10 to ≤20 mg/kg (12 mg/L)	!	Warning	Harmful if inhaled	
P261 P271 P304+P340 P312	Avoid breathing vapours Use only outdoors or in IF INHALED, remove to Call a poison centre or d	a well ventilated a	at rest in a position	n comfortable for breathing	
Skin corrosion/irrit	1	1			
Hazard category	Criteria	_ H	lazard communica		
Irritation 2	No data	!	Warning	Causes skin irritation	
P264 P280 P302+P353 P321 P332+P313 P362	Wash skin thoroughly a Wear protective gloves IF ON SKIN, rinse skin Specific treatment (see If skin irritation occurs, Take off contaminated	and face protection with water/shower first aid instruction get medical advice	ns in Section 4) e/attention		



Hazard category	Criteria Hazard communication elements			
Eye 2A	No data	!	Warning	Causes serious eye irritation
P264 P280 P305+P351+P338 P337+P313	present and easy to c	orotection autiously with wate do. Continue rinsing	g.	es, remove contact lenses
Respiratory sensitiz	zer:			
Hazard category	Criteria	Н	lazard communicat	tion elements
No information is available	No information is available	No symbol	No information	No information
	No precautionary state	ements		
Skin sensitizer:				
Hazard category	Criteria	Н	lazard communicat	tion elements
No information is available	No information is available	No symbol	No information	No information
	No precautionary stater	nents	-	*
Germ cell mutageni	city:			
Hazard category	Criteria	ŀ	Hazard communica	tion elements
No information is available	No information is available	No symbol	No information	No information
	No precautionary stater	ments		
Carcinogenicity:				
Hazard category	Criteria	На	nzard communication	on elements
No information is available	No information is available	No symbol	No information	No information
	No precautionary state	ments		
Toxic to reproduction	on:			
Hazard category	Criteria	H	azard communicati	ion elements
No information is available	No information is available	No symbol	No information	No information



Hazard category	Criteria	Hazard communication elements		
No information is available	No information is available	No symbol	No information	No information
	No precautionary statemer	nts		
Specific target orga	n toxicity: repeated exp	osure		
Hazard category	Criteria		Hazard communica	ation elements
No information is available	No information is available	No symbol	No information	No information
	No precautionary statements			
Specific target orga	n toxicity: repeated exp	osure		
Hazard category	Criteria	ı	Hazard communica	tion elements
No information is available	No information is available	No symbol No information		No information
	No precautionary statem	ents		
Aspiration hazard:	· · · · · · · · · · · · · · · · · · ·			
Hazard category	Criteria	Hazard communication elements		
No information is available	No information is available	No symbol	No information	No information



12. Ecological i	nformation:				
Aquatic toxicity (acu	ute)				
Hazard category	Criteria Hazard communication elements				
No information is available	No information is available			Warning	Harmful to aquatic environment
P273	Avoid release to the environment				
P501	Dispose of contents /containers to a licensed facility				
Aquatic toxicity (chi	ronic)				
Hazard category	Criteria	Hazard communication elements			
No information is available	No information is available	No symbol No information		No information	No information
	No precautionary statem	ents			
Persistence and degradability:	Туре		Concentration		Degradation
	No information is availa	lable No information is available			No information is available
Bioaccumulative potential:	This product exhibits a positive potential for bioaccumulation				
Mobility in soil:	No information is available				

13. Disposal considerations:		
Methods of disposal:	The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material or runoff and contact with soil, waterways, drains, and sewers. Disposal of product should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.	
Contaminated packaging:	Empty containers retaining product residue. Do not distribute, make available or reuse empty container except for storage and shipment of original product. Remove all product residue from container before disposal according to local regulations.	
Hazardous waste:	This material is considered harmful to the aquatic environment.	



14. Transport information:

Special precautions for user:

This product is classified as hazardous goods according to SANAS 10228:2003

UN number	U.N. Proper shipping name	Transport hazard class	Packaging group	Environmental hazards	Special precautions
1866	Resin solution: flammable	3	III	Harmful to the aquatic environment	3

15. Regulatory information:		
EU regulations:	Considered irritating and harmful to the environment (Directive 67/548/EEC).	
International regulations:		
United States (TSCA):	Listed TSCA 8(b):	
Canada (DSL):	Listed CEPA DSL:	
Australia AICS):	No information available	
WGK:	1	

16. Other information:

This data sheet was prepared in accordance with the Globally Harmonized System of classification and labeling of chemicals (SANS 10234:2007)

Date of preparation:	6 November 2012	
Date of previous issue:	No previous issue	
Version:	00	
Compiled by:	J.Crawley (Technical Services Manager)	

Notice to reader:

To the best of our knowledge of this substance and on current EC and international regulations, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries or agents assumes liability whatsoever for the accuracy or completeness of the information contained herein.

Revision: 00

References:

European Chemical Substances Information System (ESIS)

