



**Industrial  
Oleochemical  
Products**

# SAFETY DATA SHEET

317 Chamberlain Road, Jacobs, South Africa, 4026  
Tel: +27 (0) 31 461 8680 Fax : +27 (0) 31 461 3743  
Website: www.oleo.co.za Email: info@oleo.co.za


## OleoRez RT 20

### Triethylene glycol of stabilized tall oil rosin

OleoRez RT 20 is a light-coloured viscous liquid tackifier designed for applications requiring a low softening point resin. It provides the compatibility of a rosin ester along with the ability to modify the softening points of other high softening point tackifiers

#### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER:

<b>Product name:</b>	OleoRez RT 20	
<b>Product identifier/synonyms:</b>	Ester of stabilized tall oil rosin, modified	CAS # 68648-53-3 EC # 271-996-4
<b>Product description:</b>	Complex mixture of resin acids derived from pinewood. Composed primarily of resin acids and modified resin acids such as dehydroabietic acid, as their triethylene glycerol esters	
<b>Intended use:</b>	Adhesives	
<b>Application of the substance / the mixture</b>	Plasticising tackifier in hot melt and pressure sensitive adhesives requiring high degree of tack without significantly decreasing bond strength. Adds tack to adhesives formulated with high softening point resins	
<b>Manufacturer:</b>	Industrial Oleochemical Products, (Pty) Ltd., Jacobs, 4052, KZN, Tel: +27-(0)31-4618680, Fax:: +27-(0)31-461-3743 info@oleo.co.za	
<b>Emergency telephone number:</b>	031-461-8721 (Monday-Friday 08.00 to 16.30hr) 031-461-8680 (after normal working hours) 071-483-7688 (medical emergencies)	



OleoRez RT 20

#### 2. HAZARD IDENTIFICATION

This substance is not classified according to South African National Standard SANS 10234:2007, Globally Harmonized System of classification and labelling of chemicals (GHS).

This substance is not classified in the Annex I of Directive 67/548/ (Index # 650-015-00-7) according to ESIS (European Chemical Substances Information System).

##### Flammability:

Hazard category	Criteria
0	Flash point (COC) >190°C

(continues on page 2)

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### HAZARD IDENTIFICATION: (continuation from page 1)

**Classification of the substance or mixture** The substance is not classified according to the Global Harmonized System (GHS)

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

**Information concerning particular hazards for human and environment**  
**CAUTION!**

**POTENTIAL HEALTH EFFECTS – (Liquid product at ambient temperatures)** Prolonged or repeated contact may cause skin irritation and may cause skin sensitisation (allergic reaction) in susceptible individuals. Prolonged exposure to smoke or fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing, or breathing difficulty. Repeated exposure may lead to respiratory sensitisation (asthma) in susceptible individuals.

**GENERAL HYGIENIC PRACTICES** Avoid contact with eyes, skin, and clothing. Avoid breathing dust, vapours or mist. Handle in areas with adequate ventilation. Refer to SDS Section 8, Exposure Controls / Personal Protection, for further information. Refer to Section 5 for Hazardous Combustion Products, and Section 10 for Hazardous Decomposition / Hazardous Polymerization Products

**Label elements (GHS label elements)**

The substance is classified and labelled according to the Global Harmonized System (GHS)

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**PRECAUTIONARY STATEMENTS**

**P202** Do not handle until all safety precautions have been read and understood

**P210** Keep away from heat / sparks / open flames / hot surfaces – NO SMOKING

**P234** Keep only in original packaging

**P243** Take precautionary measures against static discharge

**P261** Avoid breathing fumes/ gas/mist / vapours/ spray

**P262** Do not get in eyes, on skin, or on clothing

**P264** Wash thoroughly after handling

**P270** Do not eat, drink or smoke when using this product

**P280** Wear protective gloves / eye protection

**P284** In case of inadequate ventilation wear respiratory protection

**P 301 + P312** If swallowed: call a doctor if you feel unwell

(continues on page 3)

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### HAZARD IDENTIFICATION: (Continuation from page 2)

#### PRECAUTIONARY STATEMENTS

<b>P301 + P330 + P331</b>	If swallowed: Rinse mouth. DO NOT induce vomiting
<b>P302 + P352</b>	If on skin: Wash with plenty of soap and water
<b>P304 + P312</b>	IF INHALED: Call a doctor if you feel unwell
<b>P304 + P341</b>	If inhaled: if breathing is difficult, remove person to fresh air and keep comfortable for breathing
<b>P305 + P351 + P338</b>	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.
P314	Get medical advice / attention if you feel unwell
P333 + P313	If skin irritation or rash occurs: get medical advice / attention
P363	Wash contaminated clothing before reuse
P402 + P404	Store in a dry place. Store in a closed packaging
P403 + P233	Store in a well ventilated place. Keep packaging tightly closed
P501	Dispose of contents / packaging in accordance with local / regional / national/ international regulations

### CLASSIFICATION SYSTEM : NFPA RATINGS (scale 0- 4)



HEALTH = 0  
FIRE = 1  
REACTIVITY = 0

### HMIS RATINGS (scale 0 – 4)

HEALTH	0
FIRE	1
REACTIVITY	0

HEALTH = 0  
FIRE = 1  
REACTIVITY = 0

#### Other Hazards

Results of PBT and vPvB assessment

#### PBT

Not applicable

#### vPvB

Not applicable

(continues on page 4)

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### CHEMICAL CHARACTERISATION: SUBSTANCE

CAS number	68648-53-3
CAS number description	Resin acids and Rosin acids, esters with triethylene glycol

EC number 271-996-4

**Additional information** This product is not classified as hazardous under OSHA regulations, however, this SDS contains valuable information important to the safe handling and proper use of the product.

This SDS should be retained and available for employees and other users / handlers of this product. This product is shipped and delivered as an ambient temperature liquid.

If this product is heated or used at temperatures sufficient to produce smoke or fumes, refer to SDS Section 8, Exposure controls / Personal Protection

### 4. FIRST-AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

**After inhalation** Remove to fresh air. Get medical attention if nasal, throat or lung irritation develops

**After skin contact** **HOT LIQUID product:** immediately cool skin burns with water and cold packs for at least 15 minutes.

#### DESCRIPTION OF FIRST AID MEASURES

**After skin contact** DO NOT put ice directly on the skin. DO NOT attempt to remove solidified resin from the skin as severe tissue damage may result. Get immediate medical attention. See Note to Medical Doctor below.

**LIQUID product at ambient temperatures :** Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists. Thoroughly wash clothing before reuse. See Note to Medical Doctor below.

**After eye contact** **HOT LIQUID product:** Cool burns with plenty of low pressure water. Get immediate medical attention.

**LIQUID product at ambient temperature:** Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low pressure water for at least 15 minutes. Get medical attention if irritation persists.

**After swallowing** Not an ingestion hazard under anticipated conditions of use.  
**For accidental ingestion:** DO NOT induce vomiting. Get immediate medical attention.

(continues on page 5)

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### 4. FIRST-AID MEASURES (continues from page 4)

#### INFORMATION FOR MEDICAL DOCTOR

<b>For HOT LIQUID product</b>	Material should not be forcibly removed from the skin. Mineral oil maybe used to loosen and soften the material This product contains rosin or a rosin derivative. Rosin and some of its derivatives have been reported to cause an allergic skin reaction (sensitisation) in susceptible individuals after repeated or prolonged skin contact. Smoke or fumes generated by heating product may lead to respiratory sensitisation (asthma) in susceptible individuals.
<b>Most important symptoms and effects, both acute and delayed</b>	No further relevant information available
<b>Indication of any immediate medical attention and special treatment needed</b>	No further relevant information available.

### 5. FIRE FIGHTING MEASURES

#### Extinguishing media

<b>Suitable extinguishing agents</b>	Water spray, dry chemical, foam, carbon dioxide or clean extinguishing agents may be used on fires involving this product
<b>Special hazards arising from the substance or mixture</b>	If heated to combustion, the following substances may be formed: Carbon monoxide (CO); Carbon Dioxide (CO <sub>2</sub> ); Aldehydes, Carboxylic acids; Smoke

#### Advise for fire-fighters

<b>Protective equipment</b>	Wear self-contained breathing apparatus pressure-demand. MSHA/NIOSH approved (or equivalent) and full protective gear when fighting fires involving this product.  Apply water to <b>HOT LIQUID</b> resin fires from a safe, protected location to avoid body contact with hot rosin.  Cool packaging with water to prevent rupture.
-----------------------------	--

### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	Not required
<b>Environmental precautions</b>	Do not allow to enter sewers / surface or ground water
<b>Methods and material for containment and cleaning up</b>	For small spills: Add absorbent, sweep up, and dispose properly For large spills: Dike to contain and pump into drums for use or disposal  In case of accidental spill or release, refer to Section 8, Personal Protective Equipment and General Hygiene Practices Absorb with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust)  (continues on page 6)

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

(continues from page 6)

#### Control parameters

<p><b>Additional Occupational Exposure Limit Values for possible hazard during processing</b></p>	<p>This product may present an inhalation health hazard if used under conditions that could generate fumes.</p> <p>ROSIN PYROLYSIS FUMES: If the product is heated to temperatures sufficient to produce smoke or fumes, maintain exposure to resin acids to be lowest achievable concentration using recommended engineering controls and personal protective equipment.</p>
<p><b>Exposure controls – Personal Protective equipment</b></p>	
<p><b>General protective and hygiene measures</b></p>	<p>Avoid contact with eyes, skin and clothing</p> <p>Avoid breathing fumes</p> <p>Handle in areas with adequate ventilation.</p> <p>Avoid contamination of food, beverages, or smoking materials.</p> <p>Wash thoroughly after handling and before eating, drinking or smoking.</p> <p>Remove contaminated clothing promptly and clean thoroughly before reuse.</p>

<p><b>Breathing equipment</b></p>	<p>Appropriate respiratory protection is required when exposure to airborne contaminants may exceed acceptable limits. Respirators should be selected and used in accordance with OSHA, subpart 1 (29 CFR 1910.134) and manufacturer's recommendations</p>
<p><b>Protection of hands</b></p>	<p>Impervious gloves The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation</p>
<p><b>Material of gloves</b></p>	<p>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer</p>
<p><b>Penetration time of glove material</b></p>	<p>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</p>
<p><b>Eye protection</b></p>	<p>Safety glasses</p>
<p><b>Body protection</b></p>	<p>Appropriate protective clothing Personnel exposed to HOT LIQUID material should wear protective clothing that provides protection against thermal burns.</p>
	<p>(continues on page 8)</p>

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

<b>Body protection</b> (continuation from page 7)	Required Protective Equipment: 1, Long-sleeved protective shirt, long pants and work shoes; 2, Hard hat and face shield; 3, Long-cuff gloves extending beyond wrist; 4, Lined rain suit with protective hood or shoulder shroud or 5, Full aluminized or thermal suit with hood.
--	---



### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties :

##### General information

<b>Appearance Form</b>	Viscous liquid at ambient temperatures
<b>Appearance colour</b>	Pale yellow
<b>Odour</b>	Faint typical rosin
<b>Specific gravity</b>	1.05 g/ml
<b>Vapour density</b>	Heavier than air
<b>Change in condition</b>	~ 20 (°C)
<b>Freezing point</b>	
<b>Flash Point</b>	> 190 (°C) (Closed cup)
<b>Danger of explosion</b>	Product does not present an explosive hazard
<b>Density</b>	1.08 kg/m <sup>3</sup>
<b>Bulk density</b>	Not determined
<b>Solubility in / Miscibility with water</b>	Negligible
<b>Partition coefficient (n-octanol/water)</b>	>4
<b>Other information</b>	No further relevant information available

### 10. STABILITY AND REACTIVITY

#### Reactivity and Chemical Stability

<b>Thermal decomposition / conditions to be avoided</b>	Stable under recommended handling and storage conditions
<b>Possibility of hazardous reactions</b>	Not anticipated under normal or recommended handling and storage
<b>Conditions to avoid</b>	No further information available
<b>Incompatible materials</b>	None known
<b>Hazardous decomposition products</b>	No dangerous decomposition products known

### 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

##### Acute toxicity

##### LD/LC50 values that are relevant for classification

<b>Oral LD50 (rat)</b>	PRODUCT / SIMILAR PRODUCT - Not toxic by OSHA/ANSI criteria based on acute animal per oral testing on similar product (LD>5000 mg/kg). Feeding studies of similar products indicate no evidence of risk at anticipated workplace exposure levels. Mild reversible respiratory irritation from single and repeated inhalation exposure to heated vapours of similar material.
<b>Primary irritant effect on the skin</b>	No irritant effect
<b>Primary irritant effect on the eye</b>	No irritant effect
	(continues on page 9)



# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### 11. TOXICOLOGICAL INFORMATION

(continuation from page 8)

<b>Sensitisation</b>	Smoke or fumes generated by heating may lead to respiratory sensitisation (asthma) in susceptible individuals. This product contains rosin or a rosin derivative. Rosin and some rosin derivatives have been reported to cause allergic skin reaction ( sensitisation) in susceptible individuals after repeated or prolonged contact.
<b>Additional toxicological information</b> IARC (International Agency for Research on Cancer: Substance is not listed	Carcinogenic categories  Substance is not listed
<b>NTP (National Toxicology Program)</b>	Substance is not listed
<b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>	Substance is not listed

### 12. ECOLOGICAL INFORMATION

Toxicity	
<b>Aquatic toxicity</b>	PRODUCT/SIMILAR PRODUCTS: Not toxic by ASHA/ANSI Acute 48-hour LC50 value falls within moderately toxic range of 1 – 10 mg/L according to the US Fish and Wildlife criteria. Test species was carp. Product was tested as a suspension.
<b>Persistence and degradability</b>	Not readily biodegradable when tested by the Modified Sturm test protocol

### Behaviour in environmental systems

<b>Bioaccumulative potential</b>	No further relevant information available
<b>Mobility in soil</b>	No further relevant information available
<b>General Notes</b>	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Results of PBT and vPvB assessment	
<b>PBT</b>	Not applicable
<b>vPvB</b>	Not applicable
<b>Other adverse effects</b>	No further relevant information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

<b>Recommendation</b>	Incineration in accordance with applicable regulations is the recommended disposal method. Land filling in a permitted solid or hazardous waste facility is a suitable alternative after solidification to remove free liquids. Waste water may be sent to a sanitary sewer treatment facility in accordance with any local agreement, a permitted waste treatment facility, or discharge under a permit. Disposal should be in accordance with all local and national regulations.
<b>Un-cleaned packaging recommendation</b>	Disposal must be made according to official regulations  (continued on page 10)



# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### 14. TRANSPORTATION INFORMATION

UN-Number DOT, ADR, DAN, IMDG, IATA	Void
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA	Void
Packaging group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant	No
Special precautions for user	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable
UN "Model Regulation":	-

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture	
SARA Section 355 (extremely hazardous substances)	Substance is not listed
Section 313 (Specific toxic chemical listings)	This product does not contain any chemicals subjected to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act and 40CFR372
TSCA (Toxic Substances Control Act)	Substance is listed
Proposition 65 Chemicals known to cause cancer	Substance not listed
Chemicals known to cause reproductive toxicity for females	Substance is not listed
Chemicals known to cause reproductive toxicity for males	Substance is not listed
Chemicals known to cause developmental toxicity	Substance is not listed

Carcinogenic categories EPA (Environmental Protection Agency)	Substance is not listed
TLV (Threshold Limit Value established by ACGIH)	Substance is not listed
NIOSH-Ca (National Institute for Occupational Safety and Health)	Substance is not listed
Canadian Domestic Substances List (DSL)	Substance is not listed
GHS label elements	Void
Hazard pictogram	Void
Signal word	Warning
Hazard statements	Void

### PRECAUTIONARY STATEMENTS

P202	Do not handle until all safety precautions have been read and understood
P210	Keep away from heat / sparks / open flames / hot surfaces – NO SMOKING
P234	Keep only in original packaging
P243	Take precautionary measures against static discharge
P261	Avoid breathing dust / fume/ gas/mist / vapours/ spray
P262	Do not get in eyes, on skin, or on clothing (continues on page 11)

# SAFETY DATA SHEET

## OleoRez RT 20 Triethylene glycol of stabilized tall oil rosin

### 15. REGULATORY INFORMATION

(Continuation from page 10)

#### PRECAUTIONARY STATEMENTS

<b>P264</b>	Wash thoroughly after handling
<b>P270</b>	Do not eat, drink or smoke when using this product
<b>P280</b>	Wear protective gloves / eye protection
<b>P284</b>	In case of inadequate ventilation wear respiratory protection
<b>P 301 + P312</b>	If swallowed: call a doctor if you feel unwell
<b>P301 + P330 + P331</b>	If swallowed: Rinse mouth. DO NOT induce vomiting
<b>P302 + P352</b>	If on skin: Wash with plenty of soap and water
<b>P304 + P312</b>	IF INHALED: Call a doctor if you feel unwell
<b>P304 + P341</b>	If inhaled: if breathing is difficult, remove person to fresh air and keep comfortable for breathing
<b>P305 + P351 + P338</b>	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.
<b>P314</b>	Get medical advice / attention if you feel unwell
<b>P333 + P313</b>	If skin irritation or rash occurs: get medical advice / attention

#### PRECAUTIONARY STATEMENTS

<b>P363</b>	Wash contaminated clothing before reuse
<b>P402 + P404</b>	Store in a dry place. Store in a closed packaging
<b>P403 + P233</b>	Store in a well ventilated place. Keep packaging tightly closed
<b>P501</b>	Dispose of contents / packaging in accordance with local / regional / national/ international regulations
<b>Chemical safety assessment</b>	A chemical safety assessment has not been carried out

### 16. OTHER INFORMATION

#### DISCLAIMER:

To the best of our knowledge of this substance and on current EC and international regulations, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries or agents assumes liability whatsoever for the accuracy or completeness of the information contained herein.

<b>Date of preparation:</b>	25 August 2015
<b>Date of previous issue:</b>	None
<b>Version:</b>	01
<b>Contact</b>	info@oleo.co.za
Department issuing SDS	Technical Department (Industrial Oleochemical Products (IOP))